



Från larmknapp till åtgärd

En larmknapp är bara början på ett larmflöde. Först när verksamheten har bestämt vem som tar emot signalen, hur den bedöms och vad som händer därefter blir tekniken en fungerande del av säkerhetsarbetet.

PUBLICERAD	12 september 2026
FÖRFATTARE	Siren Techs ingenjörsteam
LÄSTID	6 min läsning

Riskscenario: signalen går fram men ansvaret är oklart

Tänk er en butik där en medarbetare aktiverar ett larm vid en hotfull situation. Signalen skickas enligt konfigurationen, men mottagarlistan är gammal och personalen har inte övat på vad som sker efter aktivering. Tekniken har fungerat, men kedjan runt den har en lucka.

Detta är ett illustrativt scenario, inte ett kundfall. Arbetsmiljöverket beskriver hot och våld som risker i många branscher och betonar kartläggning, kända säkerhetsrutiner, utbildning och uppföljning.

Kartlägg situationen före produkten

Kassa, kundyta, lager, personalutrymme och ensamarbete kan kräva olika sätt att aktivera ett larm. En fast knapp kan vara rätt på en arbetsstation, medan en bärbar eller appbaserad väg kan passa en person som rör sig mellan zoner.

Valet behöver utgå från vem som kan utsättas, var personen befinner sig och vilken mottagare som faktiskt kan agera i den aktuella situationen.

Fem frågor som gör larmkedjan testbar

Skriv ned svaren och prova hela kedjan under kontrollerade former.

- Vem får aktivera larmet och från vilka platser?
- Vilka mottagare får signalen och i vilken ordning?
- Vilken information ser mottagaren när signalen kommer?
- Vilken åtgärd är mottagaren behörig och förberedd att ta?



- Hur dokumenteras och följs händelsen upp efteråt?

Så kan Siren Applarm och Siren System bidra

Siren Applarm kan använda app eller kompatibla fysiska knappar för larmaktivering och konfigureras med mottagarflöden efter verksamhetens behov. Siren System kan koppla samman relevanta enheter och ge behöriga roller en gemensam systemmiljö.

Koppling till bevakningspersonal är valfri. Siren Tech är inte ett bevakningsföretag och en fysisk insats ingår inte automatiskt i den tekniska lösningen.

Följ upp när personal eller lokaler förändras

En fungerande larmkedja behöver hållas aktuell. Mottagare, arbetstider, bemanning och butikens utformning kan förändras, vilket gör återkommande test och uppdatering lika viktigt som den första installationen.

Under en kostnadsfri säkerhetskonsultation kan Siren Tech gå igenom zoner, roller, teknik och mottagarflöden innan en lösning föreslås.

Källor och vidare läsning

[Boka demo för butikssäkerhet](#)

[Se lösningen för butikssäkerhet](#)

[Arbetsmiljöverket: våld och hot om våld](#)



From alarm button to action

An alarm button is only the start of an alarm flow. The technology becomes a working part of security only when the organisation has decided who receives the signal, how it is assessed and what happens next.

PUBLISHED	12 September 2026
AUTHOR	Siren Tech's engineering team
READING TIME	6 min read

Risk scenario: the signal arrives but responsibility is unclear

Imagine a shop where an employee activates an alarm during a threatening situation. The signal is sent as configured, but the recipient list is outdated and staff have not practised what happens after activation. The technology has worked, but the chain around it has a gap.

This is an illustrative scenario, not a customer case. The Swedish Work Environment Authority describes violence and threats as risks in many sectors and emphasises assessment, known safety procedures, training and follow-up.

Map the situation before the product

Checkout, customer area, storage, staff areas and lone work may require different ways to activate an alarm. A fixed button may suit a workstation, while a portable or app-based route may suit a person moving between zones.

The choice needs to be based on who may be exposed, where the person is located and which recipient can actually act in the situation.

Five questions that make the alarm chain testable

Write down the answers and test the full chain under controlled conditions.

- Who may activate the alarm and from which locations?
- Which recipients receive the signal and in what order?
- What information does the recipient see when the signal arrives?
- What action is the recipient authorised and prepared to take?



- How is the event documented and followed up afterwards?

How Siren Applarm and Siren System can contribute

Siren Applarm can use an app or compatible physical buttons for alarm activation and can be configured with recipient flows for the organisation's needs. Siren System can connect relevant devices and provide authorised roles with a shared system environment.

Connection to guarding personnel is optional. Siren Tech is not a guarding company, and a physical response is not automatically included in the technical solution.

Follow up when staff or premises change

A functioning alarm chain needs to remain current. Recipients, working hours, staffing and the shop layout can change, making recurring tests and updates as important as the initial installation.

During a free security consultation, Siren Tech can review zones, roles, technology and recipient flows before proposing a solution.

Sources and further reading

[Book a retail security demo](#)

[See the retail security solution](#)

[Swedish Work Environment Authority: violence and threats of violence](#)